



# SIMPLESEAL™


## CSEFL SERIES using Indigo-Clean Technology

### PERFORMANCE

Model	Lamp Type	Initial Delivered Lumens		Input Power (W)	Drive Current (mA)	Estd. L70 LED Life (Hrs)
		@ 25°C	Efficacy (lm/W)			
CSEFL14	55C32K	4,918	78	63	125	80,000
	55C37K	5,045	80	63	125	80,000
	55C43K	5,096	81	63	125	80,000
CSEFL22	55CD32K	5,224	83	63	125	80,000
	55CD37K	5,360	85	63	125	80,000
	55CD43K	5,414	86	63	125	80,000
CSEFL24	55CD32K	6,518	112	58	63	80,000
	55CD37K	6,687	115	58	63	80,000
	55CD43K	6,755	116	58	63	80,000
	82C32K	8,009	86	93	93	80,000
	82C37K	8,216	88	93	93	80,000
	82C43K	8,300	89	93	93	80,000
	110C32K	9,869	78	127	125	60,000
	110C37K	10,125	80	127	125	60,000
	110C43K	10,228	81	127	125	60,000

Displayed information is for selected luminaires only. Additional wattages and color temperatures are also available. Visit [www.kenall.com](http://www.kenall.com) for additional information.


Model: CSEFL14-55C37K-DIM1-DV-2F-2H-SYM



Maximum Candela = 1196 Located At Horizontal Angle = 15, Vertical Angle = 2.5

- 1 - Vertical Plane Through Horizontal Angles (15-195) (Through Max. Cd.)
- 2 - Horizontal Cone Through Vertical Angle (2.5) (Through Max. Cd.)


Model: CSEFL22-55CD37K-DIM1-DV-2F-2H-SYM



Maximum Candela = 2190 Located At Horizontal Angle = 15, Vertical Angle = 2.5

- 1 - Vertical Plane Through Horizontal Angles (15-195) (Through Max. Cd.)
- 2 - Horizontal Cone Through Vertical Angle (2.5) (Through Max. Cd.)

Model: CSEFL24-110C37K-DIM1-DV-2F-2H-SYM



Max Candela = 4058 Located At Horizontal Angle = 0, Vertical Angle = 0

- 1 - Vertical Plane Through Horizontal Angles (0 - 180) (Through Max. Cd.)
- 2 - Horizontal Cone Through Vertical Angle (0) (Through Max. Cd.)



[www.kenall.com](http://www.kenall.com) | P: 800-4-Kenall | F: 262-891-9701 | 10200 55th Street Kenosha, Wisconsin 53144, USA



A brand of **legrand**

This product complies with the Buy American Act: manufactured in the United States with more than 50% of the component cost of US origin. It may be covered by patents found at [www.kenall.com/patents](http://www.kenall.com/patents). Content of specification sheets is subject to change; please consult [www.kenall.com](http://www.kenall.com) for current product details. ©2019 Kenall Mfg. Co.

# SIMPLESEAL™

## CSEFL SERIES using Indigo-Clean Technology

### DIMENSIONAL DATA



**RECOMMENDED CEILING CUTOUT**



**CEILING CUT-OUT DIMENSIONS**

	A	B
1x4	12.13	48.25
2x2	24.13	24.25
2x4	24.13	48.25



www.kenall.com | P: 800-4-Kenall | F: 262-891-9701 | 10200 55th Street Kenosha, Wisconsin 53144, USA

A brand of **legrand**

This product complies with the Buy American Act: manufactured in the United States with more than 50% of the component cost of US origin. It may be covered by patents found at [www.kenall.com/patents](http://www.kenall.com/patents). Content of specification sheets is subject to change; please consult [www.kenall.com](http://www.kenall.com) for current product details. ©2019 Kenall Mfg. Co.